Application No.: 10/070,277 Inventor: EHRHARDT

Reply to Office Action of January 12, 2007

Docket No.: 50716

Amendments to the Claims:

The following Listing of Claims will replace all prior versions, and listings, of claims in

the application.

Listing of Claims

1-34 (canceled)

35. (new) A method for screening herbicidally active substances which inhibit the activity of

plant dihydroorotase, comprising:

generating, in a first step, dihydroorotase or a protein having the enzymatic

activity of a dihydroorotase, and

in a second step, measuring activity of the dihydroorotase in the presence and

absence of a test substance, wherein the dihydroorotase or protein is generated from the

expression of a DNA sequence having a homology of at least 80% with SEQ ID NO:1.

36. (new) The method of claim 35, wherein the dihydroorotase or protein is generated from

the expression of SEO ID NO: 1.

37. (new) The method of claim 35, wherein the dihydroorotase or protein is generated from

the expression of a DNA sequence having a homology of at least 95% with SEO ID NO:

1.

38. (new) The method as claimed in claim 35, wherein the dihydroorotase or protein is

measured in a high-throughput screening assay.

39. (new) The method of claim 36, which comprises generating, in the first step,

dihydroorotase using the DNA sequence of SEO ID NO: 1.

Page 2 of 8

Application No.: 10/070,277 Inventor: EHRHARDT

Reply to Office Action of January 12, 2007

Docket No.: 50716

40. (new) The method of claim 35 further comprising:

selecting the test substance which has a herbicidal activity.

41. (new) The method of claim 35 further comprising:

identifying a herbicidally active test substance which inhibits dihydroorotase.

42. (new) The method of claim 35, wherein the activity is measured in a photometric assay.

43. (new) The method of claim 42, wherein the photometric assay is measured in a

photometer.

44. (new) The method of claim 42, wherein the photometric assay is read at 340 nm.

45. (new) The method of claim 35, wherein the activity is measured in a colorimetric assay.

46. (new) The method of claim 45, wherein the activity is measured by detecting formation

of carbamovl aspartate.

(new) An assay system based on a dihydroorotase or a protein having the enzymatic

activity of a dihydroorotase, for identifying inhibitors of plant dihydroorotase,

comprising:

47.

incubating the dihydroorotase or protein with a test substance to be studied, said dihydroorotase or protein generated from the expression of a DNA sequence having a

homology of at least 80% with SEQ ID NO:1, and after a suitable reaction time,

determining the enzymatic activity of the protein in comparison with the activity of the

protein in the absence of the test substance.

Page 3 of 8

Application No.: 10/070,277 Inventor: EHRHARDT

Reply to Office Action of January 12, 2007

Docket No.: 50716

 (new) The assay system of claim 48, wherein the dihydroorotase or the protein is generated from of SEO ID NO: 1.

 (new) The assay system of claim 48, wherein the dihydroorotase or the protein is generated from the expression of a DNA sequence having a homology of at least 95% with SEO ID NO:1.

50. (new) A method for screening herbicidally active substances which inhibit the activity of plant dihydroorotase comprising:

generating a dihydroorotase or a protein having the enzymatic activity of a dihydroorotase, wherein said dihydroorotase or said protein are generated from the expression of a DNA sequence having a homology of at least 80% with SEQ ID NO:1.

measuring an activity of the dihydroorotase in the presence and absence of a test substance; and

identifying a herbicidally active test substance which inhibits the dihydroorotase, wherein the activity is measured in one of a photometric and a colorimetric assay.

51. (new) The assay system of claim 48, wherein the dihydroorotase or the protein is generated from the expression of a DNA sequence having a homology of at least 95% with SEQ ID NO:1.